

**World-Class
Quality Instruments**



*Since
1916*

www.teltru.com

New!
TEL-TRU
REG. U.S. PAT. OFF.
THERMOMETERS
Accuracy Guaranteed

\$1.00 - \$1.25

*Smart
DESIGNS
COLORS*



	TEL-TRU MANUFACTURING CO.
<i>World-Class Thermometers</i>	



Bimetal Thermometers

Tel-Tru Manufacturing Company manufactures a complete line of bimetal thermometers in accordance with ASME B40.3 Standards. We have the largest selection of ranges and configurations available in the industry. Standard specifications include:

- All-Welded 304SS Construction
- Dial Sizes of 1", 1-3/8", 1-3/4", 2", 3", 4", 5"
- Hermetically Sealed
- Easily Recalibrated
- NPT and BSP Connections
- 316SS Wetted Parts Available
- Overrange Protection
- ±1% Full Scale Accuracy
- Stem Lengths to 120"
- .140", .150", .187", 6mm, .250", 8mm, .375" Diameter Stems
- Silicone Filled Available
- Union Connection Available
- Custom Configurations Upon Request



Pressure Gauges

Our line of pressure gauges and accessories may be used in various markets such as; oil, gas, petrochemical, drilling production, refining, pipelines, power, hydraulic, HVAC, food processing, service and storage, pool & spa, and irrigation industries. A variety of models, configurations and options are available.

MODEL

- Model 10 1/2% Process, Solid Front, Blowout Back Case, Receiver, Altitude
- Model 30 1% Stainless Steel Dry or Liquid Filled
- Model 32S 1-1/2% Stainless Steel Dry or Liquid Filled
- Model 33B Economy Glycerine Filled
- Model 37 1-1/2% Low Pressure 4"
- Model 42 1/4% Test
- Model 50B Steel Case Utility
- Model 51B Plastic Case Utility
- Model 52B 4-1/2" Mechanical Contractor
- Model 55B Low Pressure Diaphragm Utility

DIAPHRAGM SEALS

- Threaded, Flanged, Welded
- Mini Seals
- Sanitary

ACCESSORIES

- Porous Metal Pressure Snubbers
- Piston Type Pressure Snubbers
- Siphons
- Needle Valves
- Gauge Cocks



Gas Actuated Thermometers

Tel-Tru Gas Actuated Thermometers are available as remote and direct mounted. They are highly accurate with low ambient error. A molecular sieve design utilizing inert gas and activated carbon produces much lower internal pressures than conventional gas thermometers. They have extreme overrange capability. Standard for all ranges is a 316SS thermal system with a 3/8" x 3" bulb.




Food Service

Tel-Tru offers NSF® approved professional meat/poultry and testing thermometers, spot check pocket thermometers, and professional food testing thermometers.



Thermowells

Tel-Tru Thermowells are of the highest quality material and workmanship, and are machined from solid bar stock for standard or high velocity requirements in a large selection of materials and coatings. They are designed and manufactured to assure perfect alignment with the thermometer stem. We can supply thermowells for sanitary applications as well as thermowells which can be treated and documented to NACE Standards.




Vapor Tension Thermometers

Tel-Tru Vapor Thermometers are ideal for remote reading applications such as panel installations. They are not subject to indicator error due to ambient temperature variations along the tube system, and will give excellent readings above and below ambient. Vapor instruments have progressive graduations and are best read in the upper two-thirds of the range.




Check-Temp Calibrator

The Tel-Tru Check-Temp Calibrator offers an easy-to-use system for testing and calibrating 5" through 8" stem food service thermometers. Models offered include single temperature set point units 40°F, 140°F, 160°F and a **NEW DUAL** cold/hot unit 40°F and 160°F. (custom temperature models available). The patented holding feature of the calibrator hex nut and use of dial adjustment tool make calibration *quick* and *easy*.



Surface Thermometers

Tel-Tru surface thermometers are designed to measure surface temperatures on a wide variety of surfaces and are available in several configurations.



Glass Industrial

Tel-Tru offers 7", 9", and 12" aluminum case red reading mercury-in-glass industrial thermometers. Alcohol spirit fill is available. Configurations available are adjustable angle, straight form and angle form. We also offer a 6" case for budget type applications.



Tel-Fast

Tel-Fast Non-Contact Thermometer allows surface temperature measurement without touching the item being checked. Tel-Fast is a hand-held, battery-operated instrument that safely and accurately measures temperature using non-contact infrared technology. Market applications include; automotive, education and science, food preparation, electronics, food service, home uses, plant maintenance, plastics, roads/constructions, textiles, heating & air conditioning.

TEL-TRU
TEL-TRU MANUFACTURING CO.
World Class Thermometers

P.O. Box 30144
 Rochester, NY 14603 USA
Tel: 800-232-5335
 Fax: 716-232-3857
 E-mail: info@teltru.com

VISIT OUR WEBSITE AT www.teltru.com

Catalog BG299